



# TK KOTÚČOVÉ PILKY

## Slitting Saws




## Sega circolare in metallo duro integrale



### Solid carbide slitting saw

VHM - Kreissägeblätter - Fraise carbure scie

Фрезы отрезные твердосплавные- Sk prořezávací pilky



CODE	Dxd						
	SC-SCF S+0,01mm	15x5 Z no.	20x5 Z no.	25x8 Z no.	30x8 Z no.	40x10 Z no.	50x13 Z no.
0.10	-/64	-/80	-/80	-/100	-/128	-/-	-
0.15	-/64	-/80	-/80	-/100	-/128	-/-	-
0.20	20/64	20/80	20/80	30/100	40/128	-/128	-/160
0.25	20/64	20/64	20/80	30/100	40/100	-/128	-/128
0.30	20/64	20/64	20/80	30/80	40/100	-/128	-/128
0.35	-/64	-/64	-/64	-/80	-/100	-/100	-/128
0.40	20/64	20/64	20/64	30/80	40/100	48/100	64/128
0.50	20/48	20/48	20/64	30/80	40/80	48/100	64/128
0.60	20/48	20/48	20/64	30/64	40/80	48/100	48/100
0.70	20/48	20/48	20/48	30/64	40/80	40/80	48/100
0.80	20/40	20/40	20/48	24/64	32/80	40/80	48/100
0.90	20/40	20/40	20/48	24/64	32/64	40/80	48/100
1.00	20/40	20/40	20/48	24/64	32/64	40/80	48/100
1.10	-/40	-/40	-/48	-/48	-/64	-/80	-/80
1.20	20/40	20/40	20/48	24/48	32/64	40/80	40/80
1.30	-/40	-/40	-/40	-/48	-/64	-/64	-/80
1.40	-/40	-/40	-/40	-/48	-/64	-/64	-/80
1.50	20/40	20/40	20/40	24/48	32/64	32/64	40/80
1.60	20/40	20/40	20/40	24/48	32/64	32/64	40/80
1.70	-/40	-/32	-/40	-/48	-/48	-/64	-/80
1.80	20/40	20/32	20/40	24/48	24/64	32/64	40/80
1.90	-/40	-/32	-/40	-/48	-/48	-/64	-/80
2.00	20/40	20/32	20/40	24/48	24/48	32/64	40/80
2.50	20/40	20/32	20/40	24/40	24/48	32/64	32/64
3.00	20/40	20/32	20/32	24/40	24/48	24/48	32/64
3.50	-/24	-/24	-/32	-/40	-/40	-/48	-/64
4.00	20/24	20/24	20/32	24/40	20/40	24/48	32/64
5.00	20/24	20/24	20/32	24/32	20/40	24/48	24/48
6.00	20/24	20/24	20/24	24/32	20/40	20/40	24/48



SC = DIN 1838 taglio grosso / coarse cut


SCF = DIN 1837 taglio fine / fine cut

## Sega circolare in metallo duro integrale

### Solid carbide slitting saw

VHM - Kreissägeblätter - Fraise carbure scie

Фрезы отрезные твердосплавные - Sk prořezávací pilky



CODE	Dxd			
	SC - SCF S+0,01mm	80x22 Z no.	100x22 Z no.	125x22 Z no.
0.10	-	-	-	-
0.15	-	-	-	-
0.20	-	-	-	-
0.25	-	-	-	-
0.30	-/160	-	-	-
0.35	-/160	-	-	-
0.40	-/160	-	-	-
0.50	-/128	-/160	-	-
0.60	64/128	80/160	-/160	-
0.70	64/128	64/128	-/160	-
0.80	64/128	64/128	80/160	-
0.90	48/100	64/128	80/160	-
1.00	48/100	64/128	80/160	80/160
1.10	-/100	-/128	-/128	-
1.20	48/100	64/128	64/128	80/160
1.30	-/100	-/100	-/128	-
1.40	-/100	-/100	-/128	-
1.50	48/100	48/100	64/128	80/160
1.60	48/100	48/100	64/128	-/160
1.70	-/80	-/100	-/128	-
1.80	40/80	48/100	64/128	-/128
1.90	-/80	-/100	-/128	-
2.00	40/80	48/100	64/128	80/128
2.50	40/80	48/100	48/100	80/128
3.00	40/80	40/80	48/100	64/128
3.50	-/64	-/80	-/100	-
4.00	32/64	40/80	48/100	-/100
5.00	32/64	40/80	40/100	-
6.00	32/64	32/64	40/100	-

SC = DIN 1838 taglio grosso / coarse cut

SCF = DIN 1837 taglio fine / fine cut

